

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20160317-E473770  
**Report Reference** E473770-20160226  
**Issue Date** 2016-MARCH-17

**Issued to:** NANJING JINGZE LIGHTING TECHNOLOGY CO LTD  
30 HengFa Rd  
National Economic Technological Development Zone  
Nanjing  
Jiangsu 210000 CHINA

**This is to certify that  
representative samples of**

LIGHT-EMITTING-DIODE SURFACE-MOUNTED  
LUMINAIRES  
See addendum page

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**

UL 1598 AND CSA C22.2 No. 250.0-08- Luminaires  
UL 8750- Light Emitting Diode (LED) Equipment for Use in  
Lighting Products  
CSA C22.2 No. 250.13- Light Emitting Diode (LED)  
Equipment for Lighting Applications

**Additional Information:**

See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20160317-E473770  
**Report Reference** E473770-20160226  
**Issue Date** 2016-MARCH-17

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## MODELS

USL, CNL – Light-emitting-diode Surface-mounted Luminaire, Models NJZ-FLB-50-U-RL-60-P, NJZ-FLB-100-U-RL-60-P, NJZ-FLB-150-U-RL-60-P, NJZ-FLB-200-U-RL-60-P, NJZ-FLB-300-U-RL-60-P, NJZ-FLB-400-U-RL-60-P. NJZ-FLB-50-U-X-Y-K-P, NJZ-FLB-100-U-X-Y-K-P, NJZ-FLB-150-U-X-Y-K-P, NJZ-FLB-200-U-X-Y-K-P, NJZ-FLB-300-U-X-Y-K-P, NJZ-FLB-400-U-X-Y-K-P (“X” represents color temp, which could be “3000K”, “4000K” or “5700K”, “Y” represents beam angle, which could be “8°”, “25°”, “40°”, “60°”, “90°” or “120°”)

NOTE: USL - United States Standard Listed  
CNL - Canadian Standard Listed

SUITABLE FOR WET LOCATIONS.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

