

Floodlight Summary:

Report based on lamp delivering 1000 lumens.

Maximum Intensity	6092.8 cd per klm.
(Luminaire orientation as tested.)	0.0 degrees vertical
	0.0 degrees horizontal

Beam Spread	At 10% of Imax	39.2V x 39.3H
	At 50% of Imax	16.7V x 18.4H
	At 90% of Imax	5.3V x 7.0H

Beam Flux	Total	997.9 lumens per klm.
	To 10% of Imax	714.3 lumens per klm.
	To 50% of Imax	286.4 lumens per klm.
	To 90% of Imax	27.0 lumens per klm.

Upward LOR	0.0 %
Downward LOR	99.8 %


Luminaire Efficiency (Light Output Ratio)	100.0 %
---	---------

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A



DATA OF LAMP		Eff:139.69lm/W	
NJZMODEL 400-V01-RZ-15-PC-BL		Imax(cd)	336495
NOMINAL POWER(W)	400	AVAILABILITY(%)	73.0
RATED VOLTAGE(V)	220	Avai. FLUX(lm)	40291
NOMINAL FLUX(lm)	55228.1	LOR(%)	100.0
LAMPS INSIDE	1	TOTAL FLUX(lm)	55228
TEST VOLTAGE(V)	220	θ @50% (H,V)	18,17DEG

VERTICAL (DEG)	AREA FLUX DIAGRAM																UNIT:lm		Φ t	Φ a
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	123	0.00
80	0.13	0.80	2.18	4.32	6.90	9.42	11.6	13.1	13.7	13.7	12.9	11.4	9.21	6.59	3.99	1.91	0.63	0.08	201	0.00
70	0.17	1.22	3.56	7.11	11.4	15.5	18.7	20.8	21.6	21.7	20.9	19.1	15.9	11.5	7.02	3.38	1.07	0.12	289	0.00
60	0.23	1.77	5.15	10.0	16.0	21.8	26.6	29.6	30.7	30.8	30.2	28.5	23.6	16.7	10.2	5.04	1.62	0.18	467	0.00
50	0.29	2.27	6.50	12.4	19.8	29.8	42.6	53.5	58.0	58.0	55.8	49.5	35.1	21.5	12.8	6.50	2.13	0.23	995	0.00
40	0.34	2.68	7.54	13.9	23.2	44.4	86.7	135	165	167	143	102	54.2	25.9	14.5	7.59	2.56	0.28	2421	0.00
30	0.38	2.99	8.22	14.9	26.5	66.9	176	357	531	534	372	196	78.9	30.1	15.7	8.35	2.90	0.32	6766	4455
	0.41	3.21	8.63	15.5	30.0	92.1	318	899	1982	2003	912	334	105	34.3	16.4	8.77	3.11	0.35	16001	14503
	0.42	3.30	8.76	15.9	32.5	110	461	1833	5657	5499	1725	462	125	37.6	16.8	8.96	3.23	0.36	18699	17184
	0.43	3.30	8.72	15.8	32.6	110	476	2201	7117	6346	1751	449	123	37.5	16.7	8.93	3.20	0.36	18699	17184
	0.41	3.18	8.50	15.4	29.7	88.0	316	960	1911	1583	757	298	101	34.3	16.2	8.71	3.08	0.34	6134	4149
-30	0.37	2.97	8.05	14.6	25.8	62.0	153	276	295	277	235	147	69.9	29.4	15.4	8.19	2.82	0.31	1622	0.00
-40	0.32	2.64	7.31	13.4	22.0	39.8	65.6	78.6	79.0	77.7	73.6	65.2	44.0	24.4	14.1	7.36	2.48	0.26	618	0.00
-50	0.25	2.24	6.30	11.8	18.6	26.1	33.0	36.7	35.8	35.0	34.5	32.7	27.5	19.7	12.1	6.21	2.04	0.20	341	0.00
-60	0.19	1.75	5.00	9.55	14.9	19.6	22.4	23.8	24.6	24.4	23.4	22.1	19.7	15.2	9.60	4.79	1.54	0.13	243	0.00
-70	0.13	1.23	3.52	6.86	10.7	14.2	16.8	18.4	19.1	19.0	18.3	16.7	14.1	10.6	6.59	3.20	1.00	0.09	180	0.00
-80	0.09	0.74	2.04	3.96	6.21	8.33	10.1	11.2	11.7	11.7	11.1	9.83	7.98	5.81	3.56	1.70	0.54	0.05	107	0.00
-90	0.04	0.24	0.55	0.98	1.46	1.90	2.31	2.58	2.74	2.69	2.41	2.02	1.55	1.08	0.62	0.30	0.10	0.01	23.6	0.00
	-90	-80	-70	-60	-50	-40	-30	-20	HORIZONTAL (DEG)	20	30	40	50	60	70	80	90			
Φ t	4.60	36.5	101	186	328	760	2235	6948	17954	16703	6179	2244	856	362	192	99.9	34.0	3.68	55228	---
Φ a	0.00	0.00	0.00	0.00	0.00	0.00	132	4772	16380	15089	3897	20.3	0.00	0.00	0.00	0.00	0.00	0.00	---	40291

one-half-peak spread: U:8.1,D:8.8 , L:8.9,R:9.6


NEMA Beam Type: Type 3

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

ISOCANDELA DIAGRAM

Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A




H(β) Range:-90 - 90DEG
 H(β) Interval: 1.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:CL
 Test Date:01 November 2019

V(B) Range:-80 - 80DEG
 V(B) Interval: 5.0DEG
 Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
 Humidity:65.0%
 Test Distance:6.010m [K=1.0000]
 Remarks:

ISOLUX DIAGRAM


Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A



H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

Planar Illuminance Curve




H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

AAI Figure

Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A

Flux out:15741 lm



Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A

Table--1

UNIT: ×100cd

H (DEG) V (DEG)	-90	-85	-80	-75	-70	-65	-60	-55	-50	-45	-40	-35	-30	-25	-20	-15	-10	-5	0
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-80	0.18	0.22	0.45	0.69	0.86	1.05	1.26	1.46	1.67	1.84	1.98	2.11	2.22	2.32	2.38	2.43	2.47	2.48	2.48
-75	0.15	0.19	0.44	0.84	1.16	1.48	1.83	2.16	2.50	2.80	3.06	3.28	3.45	3.60	3.71	3.77	3.81	3.83	3.84
-70	0.17	0.30	0.76	1.26	1.70	2.18	2.67	3.14	3.58	3.98	4.32	4.59	4.81	4.97	5.09	5.14	5.18	5.18	5.18
-65	0.11	0.23	0.70	1.37	1.94	2.54	3.16	3.75	4.31	4.83	5.28	5.63	5.91	6.10	6.23	6.31	6.35	6.36	6.37
-60	0.15	0.42	1.20	1.94	2.65	3.40	4.13	4.83	5.47	6.06	6.55	6.91	7.18	7.35	7.45	7.51	7.53	7.54	7.54
-55	0.07	0.29	1.05	1.94	2.77	3.63	4.46	5.23	5.99	6.73	7.39	7.88	8.26	8.55	8.75	8.89	8.97	9.03	9.05
-50	0.14	0.60	1.66	2.60	3.56	4.54	5.43	6.26	7.11	7.96	8.66	9.18	9.59	9.93	10.2	10.4	10.5	10.5	10.5
-45	0.04	0.38	1.43	2.49	3.53	4.59	5.61	6.48	7.35	8.34	9.41	10.5	11.6	12.9	14.1	14.9	15.4	15.7	15.7
-40	0.14	0.85	2.07	3.20	4.35	5.48	6.51	7.38	8.33	9.57	11.0	12.6	14.6	16.9	18.8	20.0	20.7	20.9	20.9
-35	0.02	0.51	1.75	2.95	4.17	5.37	6.48	7.42	8.34	9.61	11.7	14.7	19.0	24.3	29.7	34.5	38.7	41.7	42.9
-30	0.14	1.12	2.38	3.68	4.95	6.18	7.25	8.17	9.24	11.1	14.5	20.0	27.5	36.2	44.7	52.6	59.6	64.0	64.7
-25	0.01	0.69	1.98	3.33	4.66	5.94	7.08	8.05	9.09	10.9	14.5	21.2	32.5	49.5	72.8	101	132	159	170
-20	0.16	1.29	2.65	4.06	5.42	6.65	7.73	8.69	10.1	13.0	19.0	30.2	49.5	80.0	123	174	228	267	273
-15	0.00	0.84	2.14	3.59	5.00	6.31	7.43	8.45	9.69	12.1	17.5	28.4	50.0	89.9	159	270	441	669	808
-10	0.20	1.36	2.79	4.27	5.68	6.89	7.97	9.06	10.8	14.7	23.0	40.4	76.8	146	273	486	829	1230	1317
-5	0.00	0.88	2.23	3.73	5.18	6.48	7.60	8.66	10.1	13.1	19.8	34.1	65.6	130	253	503	1046	1857	2353
0	0.33	1.40	2.86	4.37	5.78	6.99	8.06	9.23	11.2	15.7	25.4	47.4	95.5	192	392	857	1884	3049	3298
5	0.00	0.88	2.23	3.74	5.20	6.51	7.63	8.71	10.2	13.2	20.2	35.2	68.9	136	262	518	1079	1913	2418
10	0.32	1.36	2.80	4.30	5.72	6.97	8.06	9.16	10.9	15.0	24.2	43.8	84.9	161	294	525	915	1351	1443
15	0.00	0.86	2.16	3.62	5.06	6.40	7.54	8.58	9.85	12.4	18.4	31.0	56.8	103	179	300	492	746	896
20	0.31	1.30	2.68	4.11	5.51	6.78	7.88	8.88	10.3	13.5	20.6	34.6	59.2	97.6	148	207	268	312	318
25	0.01	0.81	2.00	3.38	4.75	6.08	7.25	8.26	9.36	11.3	15.6	24.1	39.0	61.7	92.1	127	164	195	208
30	0.29	1.18	2.42	3.75	5.07	6.35	7.45	8.43	9.61	11.8	16.1	23.7	35.0	48.6	63.0	76.4	87.0	92.9	94.0
35	0.03	0.73	1.78	3.02	4.27	5.54	6.70	7.69	8.71	10.2	12.8	17.1	23.7	32.0	41.0	49.4	56.1	60.4	61.9
40	0.28	1.04	2.11	3.29	4.49	5.69	6.77	7.72	8.82	10.3	12.3	15.1	18.7	22.6	26.0	28.2	29.3	29.7	29.6
45	0.05	0.65	1.50	2.55	3.64	4.77	5.84	6.81	7.77	8.91	10.3	11.9	13.9	16.2	18.2	19.7	20.6	20.9	20.9
50	0.25	0.86	1.71	2.68	3.70	4.74	5.70	6.64	7.59	8.57	9.44	10.2	10.9	11.5	11.9	12.1	12.1	12.1	12.2
55	0.07	0.55	1.19	2.00	2.86	3.78	4.67	5.54	6.39	7.24	8.02	8.67	9.24	9.68	10.0	10.2	10.3	10.3	10.3
60	0.23	0.69	1.28	1.99	2.76	3.55	4.34	5.12	5.88	6.56	7.13	7.59	7.94	8.16	8.31	8.38	8.39	8.41	8.43
65	0.10	0.44	0.87	1.40	2.00	2.64	3.30	3.95	4.60	5.19	5.72	6.14	6.49	6.74	6.92	7.02	7.06	7.08	7.10
70	0.20	0.52	0.85	1.27	1.74	2.26	2.78	3.31	3.80	4.26	4.65	4.98	5.25	5.47	5.63	5.70	5.74	5.76	5.77
75	0.13	0.31	0.58	0.85	1.16	1.51	1.89	2.26	2.64	2.98	3.28	3.53	3.75	3.93	4.07	4.15	4.21	4.23	4.24
80	0.18	0.29	0.51	0.67	0.86	1.07	1.29	1.52	1.75	1.94	2.11	2.26	2.40	2.52	2.60	2.66	2.70	2.71	2.71
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:CL
Test Date:01 November 2019

V(B) Range:-80 - 80DEG
V(B) Interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366
Humidity:65.0%
Test Distance:6.010m [K=1.0000]
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

Test:U:220.23V I:1.8782A P:395.37W PF:0.9558 Freq:49.99Hz Lamp Flux:55228.1x1 lm		
NAME: LED High Bay Light	TYPE:Floodlight	WEIGHT:N/A
SPEC.:400W	DIM.: N/A	SERIAL No.:N/A
MFR.: NJZ Lighting Technology Co.,Ltd	SUR.:N/A	Shielding Angle:N/A

Table--2

UNIT: ×100cd

H (DEG) V (DEG)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-80	2.46	2.41	2.34	2.26	2.17	2.05	1.91	1.76	1.59	1.39	1.18	0.97	0.77	0.59	0.41	0.23	0.13	0.12	
-75	3.82	3.79	3.74	3.67	3.56	3.42	3.24	3.03	2.78	2.48	2.13	1.77	1.41	1.07	0.76	0.44	0.18	0.12	
-70	5.17	5.13	5.08	5.00	4.85	4.66	4.41	4.11	3.74	3.30	2.80	2.29	1.77	1.30	0.87	0.41	0.13	0.09	
-65	6.35	6.32	6.28	6.22	6.12	5.97	5.75	5.43	5.02	4.50	3.89	3.25	2.60	1.96	1.36	0.78	0.26	0.10	
-60	7.51	7.47	7.44	7.38	7.28	7.13	6.85	6.46	5.91	5.24	4.48	3.70	2.91	2.13	1.41	0.67	0.17	0.08	
-55	8.99	8.90	8.81	8.72	8.65	8.55	8.30	7.87	7.25	6.46	5.61	4.75	3.85	2.92	2.04	1.19	0.38	0.09	
-50	10.4	10.2	10.1	10.0	9.95	9.82	9.44	8.83	7.98	7.02	6.06	5.09	4.05	2.99	2.00	1.01	0.23	0.06	
-45	15.6	15.3	14.9	14.4	13.8	13.1	12.1	10.8	9.48	8.17	7.08	6.07	4.99	3.83	2.69	1.61	0.57	0.08	
-40	20.6	20.0	19.2	18.3	17.2	15.6	13.7	11.8	9.90	8.40	7.30	6.22	5.00	3.74	2.52	1.36	0.30	0.04	
-35	42.0	39.5	36.0	32.2	28.3	23.9	19.3	15.1	11.8	9.55	8.18	7.10	5.89	4.58	3.27	1.98	0.80	0.08	
-30	61.8	56.4	49.8	43.1	36.0	28.4	21.4	15.7	11.6	9.45	8.19	7.06	5.75	4.37	2.97	1.63	0.42	0.03	
-25	161	137	109	83.2	61.2	43.6	30.3	20.6	14.1	10.6	8.93	7.79	6.55	5.16	3.72	2.27	0.98	0.08	
-20	244	195	147	105	71.2	47.3	30.7	19.6	13.2	10.2	8.73	7.57	6.27	4.80	3.30	1.81	0.59	0.03	
-15	702	474	297	186	116	70.2	42.3	25.9	16.3	11.5	9.40	8.18	6.95	5.56	4.04	2.49	1.07	0.10	
-10	980	591	347	203	118	67.4	38.8	23.1	14.6	10.7	9.04	7.83	6.58	5.10	3.53	1.95	0.64	0.01	
-5	1980	1155	566	300	165	91.4	50.6	29.2	17.7	12.0	9.65	8.33	7.14	5.76	4.21	2.60	1.12	0.13	
0	2329	1147	522	268	142	76.6	42.0	24.3	15.1	11.0	9.11	7.90	6.66	5.20	3.60	1.99	0.67	0.00	
5	2035	1186	582	308	169	93.0	51.0	29.1	17.6	12.0	9.67	8.35	7.15	5.79	4.23	2.61	1.12	0.15	
10	1073	639	371	217	124	69.3	38.9	22.9	14.5	10.8	9.08	7.86	6.61	5.15	3.57	1.97	0.65	0.06	
15	778	526	329	207	126	74.5	43.3	25.7	16.1	11.5	9.47	8.24	7.01	5.62	4.08	2.51	1.07	0.15	
20	286	233	176	124	80.6	50.6	31.1	19.3	13.1	10.2	8.83	7.65	6.35	4.87	3.34	1.83	0.60	0.06	
25	198	171	138	105	74.7	50.3	32.6	20.9	14.1	10.7	9.07	7.92	6.66	5.26	3.78	2.30	0.98	0.14	
30	90.4	83.0	72.8	60.9	47.6	34.3	23.4	16.0	11.7	9.62	8.38	7.23	5.89	4.46	3.03	1.65	0.55	0.06	
35	60.9	57.8	52.9	46.8	39.4	30.8	22.6	16.2	12.1	9.78	8.43	7.32	6.06	4.70	3.34	2.01	0.86	0.13	
40	29.5	29.0	28.4	27.2	24.5	20.4	16.1	12.7	10.3	8.73	7.59	6.45	5.15	3.84	2.57	1.38	0.47	0.07	
45	20.9	20.7	20.5	20.2	19.2	17.2	14.6	12.1	10.1	8.57	7.41	6.35	5.17	3.95	2.77	1.65	0.71	0.12	
50	12.2	12.3	12.4	12.6	12.6	12.0	11.0	9.74	8.54	7.42	6.38	5.34	4.21	3.10	2.05	1.09	0.39	0.08	
55	10.3	10.3	10.4	10.5	10.6	10.3	9.68	8.80	7.85	6.88	5.94	5.00	4.03	3.03	2.10	1.24	0.55	0.12	
60	8.45	8.47	8.49	8.47	8.39	8.16	7.73	7.11	6.38	5.59	4.75	3.90	3.04	2.20	1.44	0.78	0.28	0.09	
65	7.10	7.11	7.10	7.06	6.96	6.77	6.46	6.00	5.43	4.79	4.12	3.42	2.71	2.02	1.38	0.83	0.39	0.12	
70	5.77	5.74	5.69	5.60	5.41	5.17	4.86	4.45	3.99	3.47	2.92	2.38	1.81	1.30	0.86	0.50	0.18	0.10	
75	4.23	4.20	4.15	4.07	3.95	3.78	3.56	3.29	2.97	2.61	2.22	1.83	1.44	1.07	0.75	0.47	0.22	0.12	
80	2.69	2.62	2.55	2.47	2.36	2.22	2.06	1.87	1.67	1.44	1.20	0.98	0.76	0.57	0.40	0.24	0.12	0.11	
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

H(β) Range:-90 - 90DEG

H(β) Interval: 1.0DEG

Test Speed: HIGH

Temperature:25.3DEG

Operators:CL

Test Date:01 November 2019

V(B) Range:-80 - 80DEG

V(B) Interval: 5.0DEG

Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.366

Humidity:65.0%

Test Distance:6.010m [K=1.0000]

Remarks: